

CATLAB. LIC

CATLAB, LLC

19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name Blue Sky

Address 1385 Mercer Rd.

Mercer, ME 04957

Order ID 1630

Sample ID 06062

METRC Sample ID 1A40D0300000FA1000003955

Date Received 03/13/2023

Date/Time of Collection

03/13/2023 09:30 AM

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type**

Solvent

All Gas OG 3955 **Strain**

Serving Mass (g)/

Package

Collected Sample

10g Weight

Collected By Tyler Petersen

Date Generated 03/21/2023

Summary of Results

Filth and Foreign Materials Screening			
All Results Pass			

Microbiological Screening			
All Results	Pass		

Heavy Metals Screening			
All Results	Pass		

Residual Solvents Screening			
All Results	Pass		

Pesticides Screening			
All Results	Pass		

Homogeneity Profile				
%RSD THC 1.12				
%RSD CBD N/A				
Pass/Fail Pass				
Pass/Fail Limit is 15%				

Potency Profile				
<u>Cannabinoid</u>	Result mg/g			
CBDV	< RL			
THCV	< RL			
CBDA	1.46			
CBD	< RL			
CBG	2.31			
CBN	< RL			
CBGA	13.2			
CBC	< RL			
exoTHC	< RL			
Δ9-ΤΗС	21.7			
Δ8ΤΗC	< RL			
THCA	744			
Total Cannabinoids %	78.3			
Total CBD mg/g	1.28			
Total THC mg/g	674			
Total CBD %	0.128			
Total THC %	67.4			



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name Blue Sky **Address** 1385 Mercer Rd. Mercer, ME 04957

Order ID Sample ID 06062

METRC Sample ID 1A40D0300000FA1000003955

Date Received 03/13/2023 Date/Time of 03/13/2023 09:30 AM Collection

License Number AM309 **Phone** (207)587-2092 Concentrate CO₂/ **Sample Type** Solvent All Gas OG 3955

Serving Mass (g)/

Package Collected Sample

Strain

10_q Weight

Collected By Tyler Petersen **Date Generated** 03/21/2023

Analyst: AC

Analyst: AC

Homogeneity

Date Analyzed: 03/16/23 Prep Date: 03/15/23 **Instrument:** UPLC CAT-0002 Method: SOP-QA-0014

Analyte	Finding (mg/g)
Total THC Replicate 1	674
Total THC Replicate 2	683
Total THC Replicate 3	668
%RSD THC	1 12

Potency

Date Analyzed: 03/16/23 Prep Date: 03/15/23 Instrument: UPLC CAT-0002/CAT-0151 Method: SOP-QA-0016

Potency	Result %	Result (mg/g)	RL (mg/g)
CBDV	< RL	< RL	0.214
THCV	< RL	< RL	0.214
CBDA	0.146	1.46	0.214
CBD	< RL	< RL	0.214
CBG	0.231	2.31	0.214
CBN	< RL	< RL	0.214
CBGA	1.32	13.2	0.214
CBC	< RL	< RL	0.214
exoTHC	< RL	< RL	0.214
Δ9-ΤΗС	2.17	21.7	0.214
Δ8ΤΗC	< RL	< RL	0.214
THCA	74.4	744	0.214



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name

Blue Sky

Phone

AM309

Solvent

Address

1385 Mercer Rd. Mercer, ME 04957

Sample Type

License Number

Concentrate CO₂/

Order ID

1630

Strain

All Gas OG 3955

(207)587-2092

Sample ID

06062

Serving Mass (g)/

METRC Sample ID

Collected Sample

10_q

Date Received Date/Time of

03/13/2023

Weight **Collected By**

Tyler Petersen

Collection

03/13/2023 09:30 AM

Date Generated 03/21/2023

Pesticides

Date Analyzed: 3/19/23 Instrument: CAT-0162

Prep Date: 3/17/23 Method: SOP QA-0040

Analyst: LCH

Analyte	Finding (PPB)	LOQ (PPB)	Limit (PPB)	Pass/ Fail	Analyte	Finding (PPB)	LOQ (PPB)	Limit (PPB)	Pass/ Fail
Abamectin	< RL	403	500	Pass	Etofenprox	< RL	78.1	400	Pass
Acephate	< RL	55.6	400	Pass	Etoxazole	< RL	61.2	200	Pass
Acequinocyl	< RL	1150	2000	Pass	Fenoxycarb	< RL	89.9	200	Pass
Acetamiprid	< RL	31.2	200	Pass	Fenpyroximate	< RL	83.1	400	Pass
Aldicarb	< RL	31.2	400	Pass	Fipronil	< RL	112	400	Pass
Azoxystrobin	< RL	33.2	200	Pass	Flonicamid	< RL	31.2	1000	Pass
Bifenazate	< RL	31.2	200	Pass	Fludioxonil	< RL	62.5	400	Pass
Bifenthrin	< RL	96.5	200	Pass	Hexythiazox	< RL	54.3	1000	Pass
Boscalid	< RL	42.9	400	Pass	Imazalil	< RL	87.3	200	Pass
Carbaryl	< RL	37.0	200	Pass	Imidacloprid	< RL	39.8	400	Pass
Carbofuran	< RL	31.2	200	Pass	Kresoxim- methyl	< RL	53.6	400	Pass
Chlorantraniliprole	< RL	92.2	200	Pass	Malathion	< RL	66.0	200	Pass
Chlorfenapyr	< RL	919	1000	Pass	Metalaxyl	< RL	56.4	200	Pass
Chlorpyrifos	< RL	74.5	200	Pass	Methiocarb	< RL	31.2	200	Pass
Clofentezine	< RL	56.7	200	Pass	Methomyl	< RL	31.2	400	Pass
Cyfluthrin	< RL	798	1000	Pass	Methyl parathion	< RL	193	200	Pass
Cypermethrin	< RL	196	1000	Pass	MGK-264 ²	< RL	70.2	200	Pass
Daminozide	< RL	329	1000	Pass	Myclobutanil	< RL	37.3	200	Pass
DDVP (Dichlorvos)	< RL	31.2	1000	Pass	Naled	< RL	42.2	500	Pass
Diazinon	< RL	55.3	200	Pass	Oxamyl	< RL	31.2	1000	Pass
Dimethoate	< RL	39.9	200	Pass	Paclobutrazol	< RL	52.5	400	Pass
Ethoprophos	< RL	33.9	200	Pass					



19 Levesque Dr. #3 Eliot. ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name Blue Sky

Address 1385 Mercer Rd.

Mercer, ME 04957

Order ID 06062 Sample ID

METRC Sample ID

Date Received 03/13/2023

Date/Time of 03/13/2023 09:30 AM Collection

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type**

Solvent

All Gas OG 3955 Strain

Serving Mass (g)/

Collected Sample

10_q Weight

Tyler Petersen **Collected By Date Generated** 03/21/2023

Analyst: LCH

Pesticides

Date Analyzed: 3/19/23 Prep Date: 3/17/23 Instrument: CAT-0162 Method: SOP OA-0040

Analyte	Finding (PPB)	LOQ (PPB)	Limit (PPB)	Pass/Fail
Permethrin ³	< RL	199	200	Pass
Phosmet	< RL	55.8	200	Pass
Piperonyl butoxide	< RL	59.0	2000	Pass
Prallethrin	< RL	103	200	Pass
Propiconazole	< RL	59.5	400	Pass
Propoxur	< RL	31.2	200	Pass
Pyrethrins ¹	< RL	248	1000	Pass
Pyridaben	< RL	59.8	200	Pass
Spinosad ⁴	< RL	62.4	200	Pass
Spiromesifen	< RL	62.5	200	Pass
Spirotetramat	< RL	37.5	200	Pass
Spiroxamine	< RL	37.9	400	Pass
tebuconazole	< RL	69.2	400	Pass
Thiacloprid	< RL	31.2	200	Pass
Thiamethoxam	< RL	62.6	200	Pass
Trifloxystrobin	< RL	59.3	200	Pass

- Pyrethrin is measured as cumulative residues of Pyrethrin, Cinerin, and Jasmolin (CAS # 8003-34-7).
 MGK-264 is measured as cumulative residue of MGK-264 A and MGK-264 B (CAS # 113-48-4).
 Permethrin is measured as cumulative residue of cis- and trans- permethrin isomers. (CAS # 54774-45-7 and 51877-74-8, respectively).
 Spinosad is a measured as cumulative residue of Spinosad A and Spinosad D (CAS # 168316-95-8 and 131929-60-7, respectively).

LCS: Acequinocyl, Bifenthrin, Daminozide, Fipronil, Prallethrin were outside criteria. SMB: Presented Several analytes outside criteria. CCV: Last CCV presented low bias in acephate, acequinocyl, aldicarb, and bifenthrin.



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name

ATLAB. LIC

Blue Sky

Phone

AM309

Solvent

Address

1385 Mercer Rd. Mercer, ME 04957

Sample Type

License Number

Concentrate CO₂/

Order ID

1630

Strain

All Gas OG 3955

(207)587-2092

Sample ID

06062

Serving Mass (g)/

METRC Sample ID

1A40D0300000FA1000003955 03/13/2023

Package Collected Sample

10_q

Date Received Date/Time of Collection

03/13/2023 09:30 AM

Weight

Tyler Petersen

Date Generated

Collected By

03/21/2023

Heavy Metals

Date Analyzed: 3/17/23 Instrument: CAT-0093

Prep Date: 3/16/23 Method: SOP-OA-0030

Analyst: ITG

Metals	Result (ug/kg)	RL (ug/kg)	Action Level (ug/kg)	Pass/Fail
Arsenic	< RL	53.5	200	Pass
Cadmium	< RL	26.6	200	Pass
Lead	< RL	27.6	500	Pass
Mercury	< RL	2.42	100	Pass

Microbial Analysis

Prep Date Bacteria: 3/14/23 Date Analyzed Bacteria: 3/15/23 Instrument: CAT-0140, CAT-0152

Prep Date Ecoli/SLM: 3/14/23 Date Analyzed Ecoli/SLM: 3/15/23 Method: SOP-QA-0028, SOP-QA-0038 Prep Date Yeast and Mold: 3/14/23 Date Analyzed Yeast and Mold: 03/17/23

Analyst: KW/DPR

Contaminants	Result (CFU/g)	RL (CFU/g)	Action Level (CFU/g)	Pass/Fail
Total Aerobic	< RL	100	10,000	Pass
Total Yeast/Mold	< RL	100	1,000	Pass
Total Enterobacter	< RL	10	100	Pass
Total Coliform	< RL	10	100	Pass
Escherichia Coli (E. Coli)	< RL	1	1	Pass
Salmonella spp	< RL	1	1	Pass

NC for YM placed in Bacteria incubator by mistake for 24hr. Sample placed in correct incubator for the remaining time.



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

All Gas OG 3955

10_q

Analyst: ITG

ME OCP: MTF368

Certificate of Analysis

Client Name Blue Sky **Address** 1385 Mercer Rd. Mercer, ME 04957

Order ID 1630 Sample ID 06062

METRC Sample ID

Date Received 03/13/2023 Date/Time of 03/13/2023 09:30 AM

Collection

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type**

Solvent

Serving Mass (g)/

Strain

Collected Sample

Weight

Collected By Tyler Petersen **Date Generated** 03/21/2023

Filth and Foreign Materials

Date Analyzed: 3/17/23 Prep Date: 3/17/23 **Instrument:** Visual Inspection Method: SOP-QA-0018

Analyte	Result	Action Level	Pass/Fail
Sand, Soil, Cinders, Dirt, and Mold (%)	0	25	Pass
Embedded Foreign Material (%)	0	25	Pass
Insect Fragment	0	1	Pass
Hair	0	1	Pass
Mammalian Excreta	0	1	Pass

Residual Solvents

Date Analyzed: 3/20/23 Prep Date: 3/17/23 Instrument: CAT-0156 Method: SOP QA-0036

Analyte	Result (PPM)	RL (PPM)	Action Limit (PPM)	Pass/Fail
Acetone	< RL	600	5000	Pass
Acetonitrile	< RL	289	410	Pass
Butanes	< RL	695	5000	Pass
Ethanol	< RL	699	5000	Pass
Ethyl acetate	< RL	660	5000	Pass
Ethyl ether	< RL	597	5000	Pass
Heptanes	< RL	613	5000	Pass
Hexane	< RL	263	290	Pass
Isopropyl alcohol	< RL	723	5000	Pass
Methanol	< RL	697	3000	Pass
Pentane	< RL	665	5000	Pass
Propane	< RL	957	5000	Pass
Toluene	< RL	660	890	Pass
m,p-Xylenes	< RL	337	2170*	Pass
o-Xylenes	< RL	342	2170*	Pass
1,2-Dichloroethane	< RL	1.00	1	Pass
Benzene	< RL	1.00	1	Pass
Chloroform	< RL	1.00	1	Pass
Ethylene oxide	< RL	1.00	1	Pass
Methylene chloride	< RL	1.00	1	Pass
Trichloroethylene	< RL	0.900	1	Pass

Analyst: LCH

Note: QC presented analytes outside criteria for heptane and hexane in a lab control sample. Last CCV presented low bias for ethylene oxide and n-hexane

DISCLAIMER: mg/L=ppm, µg/L=ppb, "<" denotes "less than", TNTC = Too Numerous To Count. This report of analysis may not be modified in any way, or reproduced except in full, without written approval from CATLAB, LLC. Results as reported relate only to samples as submitted on the chain of custody. All sample results are based on samples as they are received. Not all potential/existing hazards were tested. Unless otherwise noted, analyses were performed without significant modifications and QC met the quality standards outlined in the methods reported. Measurement uncertainty is available upon request.

The Reporting Limit (RL) is the lowest level of an analyte that can be accurately recovered from the matrix of interest. The Regulatory Limits (or Action Levels) for adult use mandatory testing samples are set by the Maine Office of Cannabis Policy (OCP). Total THC = D-9-THC + (THCA x 0.877). Total CBD = CBD + (CBDA x 0.877).



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950 ME OCP: MTF368

Certificate of Analysis

Client Name Address

Blue Sky

Mercer, ME 04957

Order ID Sample ID

METRC Sample ID

Date Received

Date/Time of Collection

1385 Mercer Rd.

1630

06062

1A40D0300000FA1000003955

03/13/2023

03/13/2023 09:30 AM

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type**

Solvent

10g

All Gas OG 3955 **Strain**

Serving Mass (g)/

Package

Collected Sample

Weight

Collected By

Tyler Petersen **Date Generated** 03/21/2023

Deisy Peña-Romero Lab Director



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950 ME OCP: MTF368



Certificate of Analysis

Client Name Blue Sky

Address 1385 Mercer Rd.

Mercer, ME 04957

Order ID 1630

Sample ID 06063

METRC Sample ID 1A40D0300000FA1000003953

Date Received

Date/Time of Collection

03/13/2023

03/13/2023 09:10 AM

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type**

Solvent

Strain Berry Mirage 3953

Serving Mass (g)/

Package

Collected Sample

7g Weight

Collected By Tyler Petersen

Date Generated 03/21/2023

Summary of Results

Filth and Foreign Materials Screening		
All Results Pass		

Microbiological Screening		
All Results	Pass	

Heavy Metals Screening		
All Results	Pass	

Residual Solvents Screening		
All Results Pass		

Pesticides Screening		
All Results	Pass	

Homogeneity Profile		
%RSD THC 0.894		
%RSD CBD	N/A	
Pass/Fail Pass		
Pass/Fail Limit is 15%		

Potency Profile		
<u>Cannabinoid</u>	Result mg/g	
CBDV	< RL	
THCV	< RL	
CBDA	1.44	
CBD	< RL	
CBG	2.83	
CBN	0.327	
CBGA	45.2	
CBC	1.26	
exoTHC	< RL	
Δ9-ΤΗС	58.7	
Δ8ΤΗC	0.859	
THCA	683	
Total Cannabinoids %	79.4	
Total CBD mg/g	1.26	
Total THC mg/g	658	
Total CBD %	0.126	
Total THC %	65.8	



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name Blue Sky **Address**

Mercer, ME 04957

Order ID Sample ID 06063

METRC Sample ID 1A40D0300000FA1000003953

Date Received

Date/Time of Collection

1385 Mercer Rd.

03/13/2023

03/13/2023 09:10 AM

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type** Solvent

Strain Berry Mirage 3953

Serving Mass (g)/

Package

Collected Sample 7g Weight

Collected By Tyler Petersen **Date Generated** 03/21/2023

Analyst: AC

Analyst: AC

Homogeneity

Date Analyzed: 03/16/23 Prep Date: 03/15/23 **Instrument:** UPLC CAT-0002 Method: SOP-QA-0014

Analyte	Finding (mg/g)
Total THC Replicate 1	658
Total THC Replicate 2	661
Total THC Replicate 3	669
%RSD THC	0.894

Potency

Date Analyzed: 03/16/23 **Prep Date:** 03/15/23 Instrument: UPLC CAT-0002/CAT-0151 Method: SOP-QA-0016

Potency	Result %	Result (mg/g)	RL (mg/g)
CBDV	< RL	< RL	0.214
THCV	< RL	< RL	0.214
CBDA	0.144	1.44	0.214
CBD	< RL	< RL	0.214
CBG	0.283	2.83	0.214
CBN	0.0327	0.327	0.214
CBGA	4.52	45.2	0.214
CBC	0.126	1.26	0.214
exoTHC	< RL	< RL	0.214
Δ9-ΤΗС	5.87	58.7	0.214
Δ8ΤΗC	0.0859	0.859	0.214
THCA	68.3	683	0.214



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name Address

Blue Sky

1385 Mercer Rd.

03/13/2023 09:10 AM

Mercer, ME 04957

Order ID

1630 06063

Sample ID

Date Received

METRC Sample ID

03/13/2023

Date/Time of Collection

Phone

AM309

(207)587-2092

Sample Type

License Number

Concentrate CO₂/

Solvent

Strain

Berry Mirage 3953

Serving Mass (g)/

Collected Sample

7g

Weight **Collected By**

Tyler Petersen

Date Generated

03/21/2023

Pesticides

Date Analyzed: 3/19/23 Instrument: CAT-0162

Prep Date: 3/17/23 Method: SOP QA-0040

Analyst: LCH

Analyte	Finding (PPB)	LOQ (PPB)	Limit (PPB)	Pass/ Fail	Analyte	Finding (PPB)	LOQ (PPB)	Limit (PPB)	Pass/ Fail
Abamectin	< RL	403	500	Pass	Etofenprox	< RL	78.1	400	Pass
Acephate	< RL	55.6	400	Pass	Etoxazole	< RL	61.2	200	Pass
Acequinocyl	< RL	1150	2000	Pass	Fenoxycarb	< RL	89.9	200	Pass
Acetamiprid	< RL	31.2	200	Pass	Fenpyroximate	< RL	83.1	400	Pass
Aldicarb	< RL	31.2	400	Pass	Fipronil	< RL	112	400	Pass
Azoxystrobin	< RL	33.2	200	Pass	Flonicamid	< RL	31.2	1000	Pass
Bifenazate	< RL	31.2	200	Pass	Fludioxonil	< RL	62.5	400	Pass
Bifenthrin	< RL	96.5	200	Pass	Hexythiazox	< RL	54.3	1000	Pass
Boscalid	< RL	42.9	400	Pass	Imazalil	< RL	87.3	200	Pass
Carbaryl	< RL	37.0	200	Pass	Imidacloprid	< RL	39.8	400	Pass
Carbofuran	< RL	31.2	200	Pass	Kresoxim- methyl	< RL	53.6	400	Pass
Chlorantraniliprole	< RL	92.2	200	Pass	Malathion	< RL	66.0	200	Pass
Chlorfenapyr	< RL	919	1000	Pass	Metalaxyl	< RL	56.4	200	Pass
Chlorpyrifos	< RL	74.5	200	Pass	Methiocarb	< RL	31.2	200	Pass
Clofentezine	< RL	56.7	200	Pass	Methomyl	< RL	31.2	400	Pass
Cyfluthrin	< RL	798	1000	Pass	Methyl parathion	< RL	193	200	Pass
Cypermethrin	< RL	196	1000	Pass	MGK-264 ²	< RL	70.2	200	Pass
Daminozide	< RL	329	1000	Pass	Myclobutanil	< RL	37.3	200	Pass
DDVP (Dichlorvos)	< RL	31.2	1000	Pass	Naled	< RL	42.2	500	Pass
Diazinon	< RL	55.3	200	Pass	Oxamyl	< RL	31.2	1000	Pass
Dimethoate	< RL	39.9	200	Pass	Paclobutrazol	< RL	52.5	400	Pass
Ethoprophos	< RL	33.9	200	Pass					



19 Levesque Dr. #3 Eliot. ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name

Blue Sky

Address

1385 Mercer Rd.

Mercer, ME 04957

Order ID Sample ID

METRC Sample ID

Date Received

Date/Time of

Collection

06063

1A40D0300000FA1000003953 Package

03/13/2023

03/13/2023 09:10 AM

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type**

Solvent

7g

Analyst: LCH

Strain

Berry Mirage 3953

Serving Mass (g)/

Collected Sample

Weight

Collected By Tyler Petersen **Date Generated** 03/21/2023

Pesticides

Date Analyzed: 3/19/23 **Prep Date:** 3/17/23 Instrument: CAT-0162 Method: SOP OA-0040

Analyte	Finding (PPB)	LOQ (PPB)	Limit (PPB)	Pass/Fail
Permethrin ³		199	200	Pass
Phosmet	< RL	55.8	200	Pass
Piperonyl butoxide	< RL	59.0	2000	Pass
Prallethrin	< RL	103	200	Pass
Propiconazole	< RL	59.5	400	Pass
Propoxur	< RL	31.2	200	Pass
Pyrethrins ¹	< RL	248	1000	Pass
Pyridaben	< RL	59.8	200	Pass
Spinosad ⁴	< RL	62.4	200	Pass
Spiromesifen	< RL	62.5	200	Pass
Spirotetramat	< RL	37.5	200	Pass
Spiroxamine	< RL	37.9	400	Pass
tebuconazole	< RL	69.2	400	Pass
Thiacloprid	< RL	31.2	200	Pass
Thiamethoxam	< RL	62.6	200	Pass
Trifloxystrobin	< RL	59.3	200	Pass

- Pyrethrin is measured as cumulative residues of Pyrethrin, Cinerin, and Jasmolin (CAS # 8003-34-7).
 MGK-264 is measured as cumulative residue of MGK-264 A and MGK-264 B (CAS # 113-48-4).
 Permethrin is measured as cumulative residue of cis- and trans- permethrin isomers. (CAS # 54774-45-7 and 51877-74-8, respectively).
 Spinosad is a measured as cumulative residue of Spinosad A and Spinosad D (CAS # 168316-95-8 and 131929-60-7, respectively).

LCS: Acequinocyl, Bifenthrin, Daminozide, Fipronil, Prallethrin were outside criteria. SMB: Presented Several analytes outside criteria. CCV: Last CCV presented low bias in acephate, acequinocyl, aldicarb, and bifenthrin.



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name

Blue Sky

03/13/2023

Phone (207)587-2092

Address

1385 Mercer Rd. Mercer, ME 04957

Concentrate CO₂/ **Sample Type**

AM309

Solvent

1630 Order ID 06063 Sample ID

Strain

License Number

Berry Mirage 3953

METRC Sample ID

1A40D0300000FA1000003953

Serving Mass (g)/ **Package**

Collected Sample 7g

Date Received Date/Time of

Collection

03/13/2023 09:10 AM

Weight

Collected By Tyler Petersen **Date Generated** 03/21/2023

Heavy Metals

Date Analyzed: 3/17/23 Instrument: CAT-0093

Prep Date: 3/16/23 Method: SOP-OA-0030

Analyst: ITG

Metals	Result (ug/kg)	RL (ug/kg)	Action Level (ug/kg)	Pass/Fail
Arsenic	< RL	53.5	200	Pass
Cadmium	< RL	26.6	200	Pass
Lead	< RL	27.6	500	Pass
Mercury	< RL	2.42	100	Pass

Microbial Analysis

Prep Date Bacteria: 3/14/23 Date Analyzed Bacteria: 3/15/23 Instrument: CAT-0140, CAT-0152

Prep Date Ecoli/SLM: 3/14/23 Date Analyzed Ecoli/SLM: 3/15/23 Method: SOP-QA-0028, SOP-QA-0038

Prep Date Yeast and Mold: 3/14/23 Date Analyzed Yeast and Mold: 03/17/23

Analyst: KW/DPR

Contaminants	Result (CFU/g)	RL (CFU/g)	Action Level (CFU/g)	Pass/Fail
Total Aerobic	< RL	100	10,000	Pass
Total Yeast/Mold	< RL	100	1,000	Pass
Total Enterobacter	< RL	10	100	Pass
Total Coliform	< RL	10	100	Pass
Escherichia Coli (E. Coli)	< RL	1	1	Pass
Salmonella spp	< RL	1	1	Pass

NC for YM placed in Bacteria incubator by mistake for 24hr. Sample placed in correct incubator for the remaining time.



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950

ME OCP: MTF368

Certificate of Analysis

Client Name Blue Sky **Address** 1385 Mercer Rd. Mercer, ME 04957 **Order ID** 1630 Sample ID 06063

METRC Sample ID

Date Received Date/Time of Collection

03/13/2023 03/13/2023 09:10 AM **License Number** AM309 **Phone** (207)587-2092 Concentrate CO₂/ **Sample Type**

Solvent **Strain** Berry Mirage 3953

Serving Mass (g)/

Collected Sample

7g Weight

Collected By Tyler Petersen **Date Generated** 03/21/2023

Analyst: ITG

Filth and Foreign Materials

Date Analyzed: 3/17/23 Prep Date: 3/17/23 **Instrument:** Visual Inspection Method: SOP-QA-0018

Analyte	Result	Action Level	Pass/Fail
Sand, Soil, Cinders, Dirt, and Mold (%)	0	25	Pass
Embedded Foreign Material (%)	0	25	Pass
Insect Fragment	0	1	Pass
Hair	0	1	Pass
Mammalian Excreta	0	1	Pass

Residual Solvents

Date Analyzed: 3/20/23 Prep Date: 3/17/23 Instrument: CAT-0156 Method: SOP QA-0036

Analyte	Result (PPM)	RL (PPM)	Action Limit (PPM)	Pass/Fail
Acetone	< RL	600	5000	Pass
Acetonitrile	< RL	289	410	Pass
Butanes	< RL	695	5000	Pass
Ethanol	< RL	699	5000	Pass
Ethyl acetate	< RL	660	5000	Pass
Ethyl ether	< RL	597	5000	Pass
Heptanes	< RL	613	5000	Pass
Hexane	< RL	263	290	Pass
Isopropyl alcohol	< RL	723	5000	Pass
Methanol	< RL	697	3000	Pass
Pentane	< RL	665	5000	Pass
Propane	< RL	957	5000	Pass
Toluene	< RL	660	890	Pass
m,p-Xylenes	< RL	337	2170*	Pass
o-Xylenes	< RL	342	2170*	Pass
1,2-Dichloroethane	< RL	1.00	1	Pass
Benzene	< RL	1.00	1	Pass
Chloroform	< RL	1.00	1	Pass
Ethylene oxide	< RL	1.00	1	Pass
Methylene chloride	< RL	1.00	1	Pass
Trichloroethylene	< RL	0.900	1	Pass

Analyst: LCH

Note: QC presented analytes outside criteria for heptane and hexane in a lab control sample. Last CCV presented low bias for ethylene oxide and n-hexane



19 Levesque Dr. #3 Eliot, ME 03903 207-200-9950 ME OCP: MTF368

Certificate of Analysis

Client Name Address

Blue Sky

Order ID

Sample ID **METRC Sample ID**

Date Received Date/Time of Collection

1385 Mercer Rd. Mercer, ME 04957

1630 06063

03/13/2023

03/13/2023 09:10 AM

License Number AM309

Phone (207)587-2092

Concentrate CO₂/ **Sample Type**

Solvent

Strain Berry Mirage 3953

7g

Serving Mass (g)/

Collected Sample Weight

Collected By

Tyler Petersen **Date Generated** 03/21/2023

Deisy Peña-Romero Lab Director

CATLAB, LLC CHAIN OF CUSTODY RECORD

CATLAB, LIC ISC

19 Levesque Drive Eliot, Malne 03903 207-200-9950 MTF368 IC ISO #112380

Email Address (for results): /	Cultivator or Mfg Name:	Report To:
Email Address (for results): Labo Bine Sky Maine . Com	Blue Sky Lab	

Ocaco Page

Submital Type

Page ____ of ____

Adult Use: ______ R&D: _____ Medical: _

	Ne	w customer	New Customer Information								3	Idiya	o Nec	Allalyses requested	2		
Address:	The state of the s	Billing Addre	Billing Address (if different):	t):								al	es		ALC: N		
City, State:										i i i	nieda	teri	riti	L, Ha	ns		
Zip Code:											蛙	Ma	npu		oxi		
Phone:		Cultivator or	Cultivator or Mfg License or Reg Number: Am 304	or Reg Numb	oer: Aw	700g		ii		le	ents	ign	al Ir	у	hrat	20000	
								**	neity	Prof	Solv	Fore	logic	tivit	s/0d		s
Sample Number Sample Id (lab use only) (as found o	Sample Identification (as found on container)	Sample Type*	Date Collected	Time Collected	Sample Size	Serving Size**	Servings per Package**	Potency*	Homoger	Terpene l	Residual !	Filth and	Microbiol	Water Ac	Aflatoxins	Metals	Pesticide:
6062 All Gas OF		- acentrale	3955 Concentrate 3/12/23 9130	9130	/O.			X	X		X	X	X			X	X
1		ancestore.	3953 Koncentrace 3/13/23 9:10	9:10	70			X	X	A STATE OF	X	X	X			X	X
	CITTON BANKS				q				i.		Swelland.						,
							88 89				10000						7
Walter State of the State of th	2017年第1号28																
			20 300														5 10
	ST TO STORY OF THE									10	144		4		15		
													Ĭ				
															5		

Date:

3

*Sample types: flower, wet/frozen flower, trim, concentrate, CO2/solvent based concentrate, edible, capsule, tincture, or 'other'

**For edibles, tinctures, and capsules please include serving size and servings per package information
***Potency analysis tests Δ-9-THC, THCA, CBD, CBG, CBN, CBDA, THCV, CBDV, CBC, CBGA, exoTHC, Δ-8-THC

RHISEN

Signature:

Received at Lab by (print):

Signature:

bush

Received in field by (print):

とくら

Signature:

Samples collected by (print):

CATLAB, LLC CHAIN OF CUSTODY RECORD

CATLAB, LLC

19 Levesque Drive Eliot, Maine 03903 207-200-9950 MTF368 NIF368 ISO #112380

Email Address (for results): Cultivator or Mfg Name: Report To: Lab (D) Bine Sky Maine, com

Order

	Adult Use:	
Personal/Other:	R&D: Medical: X	Submital Type

										000	6064	Sample Number (lab use only)	City, State: Zip Code: Phone:	Address:	
A CONTRACTOR OF THE CONTRACTOR							のでは ないない いっぱい かいかい かいかい かいかい かいかい かいかい かいかい かいか			Carl Sec.	C Dat note 224/70 m	Sample Identification (as found on container)			
										0000		Sample Type*	Cultivator o	Billing Addr	New Customer Information
											3/12/2	Date Collected	r Mfg License	Billing Address (if different):	r Information
											2100	Time Collected	Cultivator or Mfg License or Reg Number: Am 309	nt):	
										d	29	Sample Size	ber: Am		
			+									Serving Size**	309 Serving Size**		
												Servings per Package**			
(+17)							57Y	0.00			X	Potency*	**		
		10	*			18				in the second		Homogen	neity		
100m ON 100							1.88					Terpene Profile			
												Residual Solvents		An	
										1		Filth and Foreign Material		alyse	
												Microbio	logical Impur	ities	Analyses Requested
	1			# 1	STEEL			- A	445		100 m	Water Ac	tivity	retire of the	ueste
												Aflatoxin	s/Ochratoxin	s	٦
540												Metals			
	100					1						Pesticide	S	last topics	
						1					REAR STATE	Percent N	Moisture	eurolosaco	

Comments, special Instructions, or temperature requirements:

	V	Samples collected by (print): 11/100 Person	***Potency analysis tests Δ-9-THC, THCA, CBD, CBG, CBN, CBDA, THCV, CBDV, CBC, CBGA, exoTHC, Δ-8-THC	**For edibles, tinctures, and capsules please include serving size and servings per package information	*Sample types: flower, wet/frozen flower, trim, concentrate, CO _d /solvent based concentrate, edible, capsule, tincture, or 'other'
	Signature:	Received at Lab by (print):	Signature:	Received in field by (print):	ture, or 'other'
Ò	Monther	De Candais	Maul	Your Geriol	
QSD-0058 REV10 CJ 102122	Time: 15. 72	Date: 3/3	Time: A	Date: 5 15 25 [[



METRC®

MARIJUANA TRANSPORTATION MANIFEST

All sales transactions are to be completed prior to transportation of any MARIJUANA. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest No.	0000456819	Date Created	3/1:	3/13/2023 10:25 AM	
Originating Entity	BLUE SKY LAB LLC		Fo	or Agency Use Only	
Originating License Number	AM309				
Address of Originating Entity	1385 MERCER RD MERCER, ME 04957-4469 County: SOMERSET				
Phone No. of Originating Entity		T			
1. Destination	CATLAB, LLC	Destination Phone No			
Destination License Number	TF368	Date and Approx. Time of Dep	-	3/13/2023 11:30 AM	
Address of Destination	19 LEVESQUE DRIVE SUITES 3 AND 5		aituie	3/13/2023 11.30 AW	
	ELIOT, ME 03903-2079 County: YORK	Date and Approx. Time of Arr	ival	3/13/2023 4:30 PM	
		2		1 1 2 (1)	
Route to be Traveled		Date/Time Received		13/23 (19)	
Mercer to Portland		Notes: details for extenuating circum	stances (e.g.	., road closure, flat tire, etc.)	
Mercer to rottland					
1. Outbound Transporter	BLUE SKY LAB LLC	No Layor	ver Sche	duled	
Transporter License Number	AM309				
Address of Transporter	1385 MERCER RD MERCER, ME 04957-4469 County: SOMERSET				
Contact Phone No. for Inc	uiries: 12075872092				
Name of Person Transporting	Paul Carroll	Employee ID of Driver		UC 1169)	
State Driver's License No.	17170607	Signature of Person Transpor	tina	W (0 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +	
Make, Model, License Plate No.	Toyota Rav 4 CATLAB	Leg of Layover Trip	ung	The same	
1. Package Shipped	Production Batch No.	Item Name		Overtite	
1A40D0300000FA1000003953 Lab Test: SubmittedForTesting	Production Battering.	BSL Berry Mirage Pull N Snap - (Concentrate (Weight))	Bulk	Quantity Shp: 7.0000 g	
Item Details		(certain (cregin))			
Source Harvest(s)	BD x CW 9-30-22				
Source Package(s)	1A40D0300000FA1000003952				
Req'd Lab Test Batches	Filth & Foreign Materials, Homogeneity, I Microbials - Enterobacteriacaea, Microbia Total Coliform, Microbials - Total Yeast &	als - Salmonella, Microbials - Total Ae	erobic Micr	obial Count Microbials -	
2. Package Shipped	Production Batch No.	Item Name		Quantity	
1A40D0300000FA1000003955 Lab Test: SubmittedForTesting		BSL All Gas OG Pull N Snap - Bulk (Concentrate (Weight))		Shp: 10.0000 g	
ltem Details					
Source Harvest(s)	AG OG 9-30-22, All Gas 10-13-22				
Source Package(s)	1A40D0300000FA1000003954	,		White a control of the control of th	
Req'd Lab Test Batches	Filth & Foreign Materials, Homogeneity, Microbials - Enterobacteriacaea, Microbial Total Coliform, Microbials - Total Yeast &	ls - Salmonella, Microbials - Total Ae	erobic Micr	obial Count Microbials -	

Sample Receipt Condition Report CATLAB, LLC Order ID: 16 30 Samples Received Via: ___CATLAB Sampler/Courier ___ Licensee ___ Certified Sampler Custody Seals Present and Intact on Transport Container: ______ No ___ N/A Comments:_____ Custody Seals Present and Intact on Sample Containers: ____ Yes ___ No ___ N/A Comments:____ Type of submittal: ___Medical __Adult Use Other Comments:___ Receipt Temp: _____ If needed, ice present? Y / N Ambient: _____ Samples Received # of Samples # of Containers Notes: Flower Trim Pre-Roll Infused Pre-Roll **Retail Units** AU, I med Concentrate Infused Edibles Solid Batch Liquid Batch Proper Sample Containers/Enough Sample? (V) / N / NA | Comments: Analysis Marked on COC Match Bottles Rec'v? (V / N / NA | Comments: Date/Time/ID on Samples Match COC? Y / N / NA | Comments: Rushes Communicates to analyst in writing? Y / N / NA Comments: Sample tampered, manipulated, adulterated or contaminated? $Y/\sqrt{N}/NA$ | Comments: AUMP Sample size by Batch Size OK? (Y) / N / NA | Comments: Samples collected in the manner required by OMP? 10/ N / NA | Comments: Transport Manifest Received? (9 / N / NA | Comments: Samples Received in Metrc? Q / N / NA Comments: Initials/Date: Notes/Comments: Reviewer's Checklist ∠ Client ID/Contact If Adult Use: Reporting Instructions ≻Logged in Metrc ∠Rushes Communicated ➤Transfer Manifest ▶Temp, Condition OK If CATLAB Samples: ∠Sample ID/Date/Time __ Sampling Form ∠Matrix Attestation Form **工AT Correct**

Initials: 16 Date: 3.19.63

Correct Analyses