



Maine Department of Health and Human Services
 Maine Center for Disease Control and Prevention
 286 Water Street
 11 State House Station
 Augusta, Maine 04333-0011
 Tel: (207) 287-1929; Fax (207) 287-4172
 TTY: 1-800-606-0215

Field of Testing Summary for:

CATLAB, LLC
 19 Levesque Drive, #2
 Eliot, ME 03903

Phone # 207-200-9950

As required by 28-B M.R.S.A. Chapter 503 the Marijuana Testing Facility demonstrated the capability to analyze samples under 18-691 CMR Chapter 5, the Rule for Certification of Marijuana Testing Facilities and is hereby granted Full Certification for:

ICP-MS

Metals
 Arsenic
 Cadmium
 Lead
 Mercury

Gene-Up

E. coli STEC
 Escherichia coli STEC

Salmonella
 Salmonella

UPLC

Aflatoxins
 Aflatoxin B₁
 Aflatoxin B₂
 Aflatoxin G₁
 Aflatoxin G₂

Ochratoxin
 Ochratoxin A

Visual Inspection

Filth and Foreign Material
 Filth and Foreign Material

UPLC/TUV/PDA

Potency
 CBD
 CBDA
 Total CBD
 THC
 THCA
 Total THC

Water Activity Meter

Water Activity
 Water Activity

Moisture Analyzer

Percent Moisture
 Percent Moisture

TEMPO

Aerobic Bacteria
 Total Aerobic Bacteria

Coliform

Total Coliform Bacteria

Enterobacteriaceae

Total Enterobacteria

Yeast & Mold

Total Yeast & Mold

 To be considered valid, this Fields of Testing Summary must be displayed with a current certificate.

MTF368
 Certificate Number: MTF2022-001
 FOT Issue Date: 03/01/2023
 Expiration Date: 04/27/2023


 Christine Blais, Certification Officer
 Page 1 of 2
 Printed: 3/2/2023



Field of Testing Summary for:

CATLAB, LLC

19 Levesque Drive, #2
 Eliot, ME 03903

Phone # 207-200-9950

As required by 28-B M.R.S.A. Chapter 503 the Cannabis Testing Facility demonstrated the capability to analyze samples under 18-691 CMR Chapter 5, the Rule for Certification of Cannabis Testing Facilities and is hereby granted Provisional Certification for:

LC-MS/MS

Pesticides, Fungicides and Growth Regulators

Abamectin	Ethoprophos	Paclobutrazol
Acephate	Etofenprox	Permethrins ¹
Acequinocyl	Etoxazole	Phosmet
Acetamiprid	Fenoxycarb	Piperonylbutoxide
Aldicarb	Fenpyroximate	Prallethrin
Azoxystrobin	Fipronil	Propiconazole
Bifenazate	Fonicamid	Propoxur
Bifenthrin	Fludioxonil	Pyrethrins ²
Boscalid	Hexythiazox	Pyridaben
Carbaryl	Imazalil	Spinosad
Carbofuran	Imidacloprid	Spiromesifen
Chlorantraniliprole	Kresoxim-methyl	Spirotetramat
Chlorfenapyr	Malathion	Spiroxamine
Chlorpyrifos	Metalaxyl	Tebuconazole
Clofentezine	Methiocarb	Thiacloprid
Cyfluthrin	Methomyl	Thiamethoxam
Cypermethrin	Methyl parathion	Trifloxystrobin
Daminozide	MGK-264	
Diazinon	Myclobutanil	
DDVP (Dichlorvos)	Naled	
Dimethoate	Oxamyl	

¹ Permethrins are measured as cumulative residue of cis- and trans- permethrin isomers (CAS numbers 54774-45-7 and 51877-74-8 respectively).

² Pyrethrins are measured as cumulative residues of Pyrethrin, Cinerin, and Jasmolin (CAS number 8003-34-7).

To be considered valid, this Fields of Testing Summary must be displayed with a current certificate.

MTF368

Certificate Number: MTF2022-001

FOT Issue Date: 03/01/2023

Expiration Date: 04/27/2023

Christine Blais, Certification Officer

Page 2 of 2

Printed: 3/2/2023